












EURO ALU - PROFILE SOFT - WINDOW.














EURO ALU - PROFILE SOFT - WINDOW.





















Mullion vertical:
86mm, 98mm, 110mm





Mullion horizontal:
86mm, 98mm, 110mm




FLYING MOULION









FLYING MOULION :
98mm, 110mm










- side 55 or 104mm
- top and bottom 104mm



Threshold: wood fiberglass









EURO ALU - TYPES OF WINDOW THRESHOLDS

1. THRESHOLD 44mm.

Groove 10x10mm from inside




Cutting 10x12 mm from inside




2. THRESHOLD 54mm.


Groove 10x10mm from inside




Cutting 10x15 mm from outside




Groove 10x10mm from inside and cutting 10x15 mm from outside







Aluminium window sill and cutting 10x15 mm from outside





Gutmann Z-22 and cutting 10x15 mm from outside



Threshold 54mm and cutting 10x15 mm from outside




NOTE: Drill holes for assembly screws
The diameter of the hole is equal to the core of the screw.






NOTE: Drill holes for assembly screws
The diameter of the hole is equal to the core of the screw.



EURO ALU
side hung














EURO ALU
side swing










hinge (2 or 3 pieces/sash, depending on the height of the sash)




















FLYING MOULION - słupek ruchomy
















NOTE: Drill holes for assembly screws
The diameter of the hole is equal to the core of the screw.

EURO ALU - FRAME WIDENER

